Reviews of "SARS-CoV-2 Spike protein promotes hyper-inflammatory response that can be ameliorated by Spike-antagonistic peptide and FDA-approved ER stress and MAP kinase inhibitors in vitro"

Aditi Banerjee¹, Christoph Hölscher²

¹University of Maryland, Department: Pediatrics,

²Research Center Borstel, Infection Immunology, Germany

Published on: Nov 18, 2020

DOI: 10.1162/2e3983f5.d5b0b4f4

License: [Creative Commons Attribution 4.0 International License \(CC-BY 4.0\)](https://creativecommons.org/licenses/by/4.0/)

To read the original manuscript, click the link above.

Summary of Reviews: *This study claims SARS-CoV-2 Spike protein engagement with ACE2 induces a proinflammatory response that is dependent on ER stress and MAP kinase. Reviewers deemed these claims reliable, but request further validation in animal models.*

Reviewer 1 (Aditi Banerjee) | □□□□□

Reviewer 2 (Christoph Hölscher) | □□□□□

RR:C19 Strength of [Evidence Scale Key](#)

□ □□□□ = Misleading

□□ □□□ = Not Informative

□□□ □□ = Potentially Informative

□□□□□ = Reliable

□□□□□ = Strong

To read the reviews, click the links below.