Rapid Reviews COVID-19

Reviews of "Ultrasensitive and Selective Detection of SARS-CoV-2 Using Thermotropic Liquid Crystals and Image-Based Machine Learning"

Samuel Lalmuanawma¹, Spyridon Kintzios²

¹Mizoram University, Mathematics & Computer Science, India, ²Agricultural University of Athens

Published on: Nov 22, 2020

DOI: 10.1162/2e3983f5.d288a3fe

License: [Creative Commons Attribution 4.0 International License \(CC-BY 4.0\)](https://creativecommons.org/licenses/by/4.0/)

To read the original manuscript, click the link above.

Summary of Reviews: *This pre-print offers a novel diagnostic platform leveraging liquid crystal-based sensors and a smartphone app to improve PoC reliability. Reviewers found the included claims reliable, but emphasize the work represents a proof-of-concept.*

Reviewer 1 (Samuel Lalmuanawma) | ☐☐☐☐☐

Reviewer 2 (Spyridon Kintzios) | ☐☐☐☐☐

RR:C19 Strength of [Evidence Scale Key](#)

☐ ☐☐☐ = Misleading

☐☐ ☐☐ = Not Informative

☐☐☐ ☐ = Potentially Informative

☐☐☐☐ = Reliable

☐☐☐☐☐ = Strong

To read the reviews, click the links below.